

Laucks⁸¹

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

CLIENT: Alaskan Copper Works
P.O. Box 3546
Seattle, WA 98124
ATTN: Raphael

LABORATORY NO. 16256

DATE: May 12, 1989

PO# M9806

REPORT ON: WATER

SAMPLE

IDENTIFICATION: Submitted 05/02/89 and identified as shown below:

- 1) 4-4-3200-M9806
- 2) 4-6-3200-M9806
- 3) 4-11-3200-M9806
- 4) 4-13-3200-M9806
- 5) 4-18-3200-M9806
- 6) 4-20-3200-M9806
- 7) 4-25-3200-M9806
- 8) 4-27-3200-M9806

TESTS PERFORMED AND RESULTS:

parts per million (mg/L)

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
Chromium	1.2	1.4	1.1	0.72
Copper	0.98	0.52	0.27	0.19
Nickel	0.97	0.77	0.64	0.46
Zinc	0.050	0.024	0.016	0.030



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015014

Laucks ⁸¹ years

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Certificate

Chemistry, Microbiology, and Technical Services

PAGE NO. 2

Alaskan Copper Works

LABORATORY NO. 16256

parts per million (mg/L)

	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>
Chromium	1.4	1.2	1.6	0.82
Copper	0.38	0.38	0.46	0.23
Nickel	0.99	0.77	1.2	0.34
Zinc	0.016	0.034	0.032	0.020

Respectfully submitted,

Laucks Testing Laboratories, Inc.

J. M. Owens
J. M. Owens

JMO:emt



This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed. Subsequent use of the name of this company or any member of its staff in connection with the advertising or sale of any product or process will be granted only on contract. This company accepts no responsibility except for the due performance of inspection and/or analysis in good faith and according to the rules of the trade and of science.

AKC-0015015